

CONTENTS

Abstract	1
Introduction	1
Advantages and Limitations of Passive-Vapor-Diffusion Samplers.....	3
Advantages	3
Limitations	4
PART 1. Guidance on the Use of Passive-Vapor-Diffusion Samplers.....	5
<i>By Don A. Vroblesky</i>	
Assembly of Samplers	5
Deployment of Samplers	9
Recovery of Samplers	13
Factors Affecting Deployment of Samplers and Data Interpretation	16
Quality Control and Assurance	17
PART 2. Example Applications in New England	18
Eastern Surplus Company Superfund Site, Meddybemps, Maine	20
<i>By Forest P. Lyford and Edward M. Hathaway</i>	
Description of Study Area	20
Purpose and Design of Sampling	23
Results	23
McKin Company Superfund Site, Gray, Maine	25
<i>By Forest P. Lyford, Terrence R. Connelly, and Laura E. Flight</i>	
Description of Study Area	25
Purpose and Design of Sampling	25
Results	28
Nutmeg Valley Road Superfund Site, Wolcott and Waterbury, Connecticut	28
<i>By John R. Mullaney, Peter E. Church, and Carolyn J. Pina-Springer</i>	
Description of Study Area	28
Purpose and Design of Sampling	31
Results	31
Baird & McGuire Superfund Site, Holbrook, Massachusetts	34
<i>By Jennifer G. Savoie and Melissa G. Taylor</i>	
Description of Study Area	34
Purpose and Design of Sampling	34
Results	34
Allen Harbor Landfill, Davisville Naval Construction Battalion Center Superfund Site, North Kingstown, Rhode Island	37
<i>By Forest P. Lyford, William C. Brandon, and Christine A. P. Williams</i>	
Description of Study Area	37
Purpose and Design of Sampling	37
Results	40
Calf Pasture Point, Davisville Naval Construction Battalion Center Superfund Site, North Kingstown, Rhode Island.....	40
<i>By Forest P. Lyford, Christine A. P. Williams, and William C. Brandon</i>	
Description of Study Area	40
Purpose and Design of Sampling	43
Results	43
Otis Air National Guard/Camp Edwards Superfund Site, Johns Pond, Falmouth, Massachusetts	43
<i>By Jennifer G. Savoie and Denis R. LeBlanc</i>	
Description of Study Area	43

Purpose and Design of Sampling	45
Results	45
Nyanza Chemical Waste Dump Superfund Site, Ashland, Massachusetts.....	48
<i>By Forest P. Lyford, Richard E. Willey, and Sharon M. Hayes</i>	
Description of Study Area.....	48
Purpose and Design of Sampling	51
Results	51
Centredale Manor Restoration Project Superfund Site, North Providence, Rhode Island.....	52
<i>By Peter E. Church, Forest P. Lyford, and Anna F. Krasko</i>	
Description of Study Area.....	52
Purpose and Design of Sampling	54
Results	54
Quality-Assurance Procedures	54
Summary and Conclusions.....	56
References Cited	58
Appendix 1. Laboratory and Field Testing of Passive-Vapor-Diffusion Sampler Equilibration Times, Temperature Effects, and Sample Stability	63
<i>By Don A. Vroblesky</i>	
Equilibration Times and Temperature Effects	65
Sample Stability	71
Appendix 2. Field Screening of Volatile Organic Compounds Collected with Passive-Vapor-Diffusion Samplers with a Gas Chromatograph.....	73
<i>By Scott Clifford</i>	

FIGURES

1–9. Photographs showing:	
1. Glass vial in two layers of polyethylene tubing	2
2. Passive-vapor-diffusion samplers with (A) vial and screw cap, (B) uncapped glass vial sealed in polyethylene tubing and secured to wire surveyor flag, and (C) glass vial sealed in polyethylene sandwich bags and secured to wire surveyor flag	6
3. Heat sealing of glass vial in polyethylene tubing.....	7
4. Glass vial positioned in sandwich bag so that a single layer of low-density polyethylene is tight across the opening and the self-locking nylon tie does not interfere with capping.....	8
5. Installation method for passive-vapor-diffusion samplers in water 0 to 2 feet deep.....	10
6. Drive-point assembly for installation of passive-vapor-diffusion sampler in water 2 to 4 feet deep in clayey silt to coarse sand and gravel sediments	11
7. Drive-point method for installation of passive-vapor-diffusion sampler in water 2 to 4 feet deep in clayey silt to coarse sand and gravel sediments	12
8. Screwing a septated cap onto a glass vial encased in the inner low-density polyethylene tubing	14
9. (A) Attaching and (B) crimping a septated cap onto a glass vial encased in the inner low-density polyethylene tubing	15
10–21 Maps showing:	
10. Locations of sites in New England where passive-vapor-diffusion samplers have been used to detect and delineate discharge areas of ground water contaminated by volatile organic compounds into surface-water bodies.....	19
11. Location of the Eastern Surplus Superfund Site and study area, Meddybemps, Maine	21
12. Potentiometric surfaces and generalized ground-water-flow directions for the surficial and bedrock aquifers, Eastern Surplus Superfund Site, Meddybemps, Maine, April 30, 1997.....	22
13. Concentrations of tetrachloroethene (PCE) in passive-vapor-diffusion samplers installed in river-bottom sediments on the western edge of Dennys River, Meddybemps, Maine, October 1996	24
14. Location of the McKin Superfund Site and study area, potentiometric surface contours for the surficial aquifer, and extent of trichloroethene in ground water, Gray, Maine	26

15.	Locations of passive-vapor-diffusion samplers installed in river-bottom sediment along and near the Royal River in September and October 1997, and extent of trichloroethene in ground water, Gray, Maine	27
16.	Concentrations of trichloroethene in passive-vapor-diffusion samplers installed in river-bottom sediments near Boiling Springs, Gray, Maine, September and October 1997	29
17.	Location of the Nutmeg Valley Road Superfund Site and study area, Nutmeg Valley, Wolcott and Waterbury, Connecticut	30
18.	Concentrations of trichloroethene plus tetrachloroethene in passive-vapor-diffusion samplers installed in river-bottom sediments of the Mad River, Old Tannery Brook, and an unnamed stream, Nutmeg Valley, Wolcott and Waterbury, Connecticut, July 1997	32
19.	Concentrations of trichloroethene plus tetrachloroethene in passive-vapor-diffusion samplers installed in river-bottom sediments of the Mad River, Old Tannery Brook, and an unnamed stream, Nutmeg Valley, Wolcott and Waterbury, Connecticut, November 1997	33
20.	Location of the Baird & McGuire Superfund Site and study area, Holbrook, Massachusetts.....	35
21.	Concentrations of trichloroethene plus tetrachloroethene and petroleum compounds in passive-vapor-diffusion samplers installed in river-bottom sediments of the Cochato River, Baird & McGuire Superfund Site, Holbrook, Massachusetts, March and April 1998.....	36
22.	Aerial photograph showing locations of the Allen Harbor Landfill and Calf Pasture Point study areas, Davisville Naval Construction Battalion Center Superfund Site, North Kingstown, Rhode Island.....	38
23–33.	Maps showing:	
23.	Directions of ground-water flow in the shallow and deep surficial aquifers, concentrations of volatile organic compounds in ground water beneath the Allen Harbor Landfill, December 1995, and concentration of trichloroethene in passive-vapor-diffusion samplers installed in tidal-zone sediments along the shoreline of Allen Harbor Landfill, April 1998, Davisville Naval Construction Battalion Center Superfund Site, North Kingstown, Rhode Island.....	39
24.	Potentiometric surfaces and generalized ground-water-flow directions for the shallow and deep surficial aquifers, Calf Pasture Point, Davisville Naval Construction Battalion Center Superfund Site, North Kingstown, Rhode Island, December 1995	41
25.	Concentrations of trichloroethene in passive-vapor-diffusion samplers installed in the tidal-zone sediments along the shoreline and in wetland-bottom sediments near the shoreline, Calf Pasture Point, Davisville Naval Construction Battalion Center Superfund Site, North Kingstown, Rhode Island, March and April 1998.....	42
26.	Locations of the Johns Pond study area and Storm Drain-5 contaminant plume, and the altitude of water table (March 1993), Cape Cod, Massachusetts	44
27.	Concentrations of trichloroethene plus tetrachloroethene in passive-vapor-diffusion samplers installed in pond-bottom sediments adjacent to the Storm Drain-5 contaminant plume, Johns Pond, Cape Cod, Massachusetts, August 1998.....	46
28.	Concentrations of trichloroethene in passive-vapor-diffusion samplers installed in pond-bottom sediments in the zones where high concentrations (greater than 10,000 part per billion by volume) of trichloroethene were detected with passive-vapor-diffusion samplers in August 1998, Johns Pond, Cape Cod, Massachusetts, December 1998	47
29.	Discharge areas delineated with passive-vapor-diffusion samplers, August and December 1998, and ground-water pathways of the Storm Drain-5 plume and trichloroethene plumes, Johns Pond, Cape Cod, Massachusetts	48
30.	Location of Nyanza Chemical Waste Dump Superfund Site, passive-vapor-diffusion sampler locations, potentiometric-surface contours for the surficial aquifer, and directions of ground-water flow, Ashland, Massachusetts	49
31.	The extent of contaminants in ground water and concentrations of chlorobenzene and trichloroethene detected in passive-vapor-diffusion samples, Nyanza Chemical Waste Dump Superfund Site, Ashland, Massachusetts, February 1999	50
32.	Locations of the Centredale Manor Restoration Project Superfund Site and study area, North Providence, Rhode Island.....	52

33. Concentrations of trichloroethene plus tetrachloroethene in passive-vapor-diffusion samplers installed in channel-bottom sediments of the Woonasquatucket River, a former mill raceway, and a cross channel, Centredale Manor Restoration Project Superfund Site, North Providence, Rhode Island, September 1999	53
1A–1D. Graphs showing:	
1A. Changes in concentrations of volatile organic compounds in passive-vapor-diffusion samples over time at 21 degrees Celsius under laboratory conditions in a mixed solution of volatile organic compounds with aqueous concentrations less than 100 micrograms per liter	68
1B. Changes in concentrations of volatile organic compounds in passive-vapor-diffusion samples over time at 10 degrees Celsius under laboratory conditions in a mixed solution of volatile organic compounds with aqueous concentrations ranging from 430 to 570 micrograms per liter	69
1C. Ratio over time of (A) toluene and (B) tetrachloroethene gas concentrations by volume (parts per billion) in passive-vapor-diffusion samplers to aqueous concentrations by mass (210 to 310 micrograms per liter of toluene and 110 to 340 micrograms per liter of tetrachloroethene) in a test solution containing the diffusion samplers in 1.9-liter jars at average temperatures of 22.4, 9.5, and 1.4 degrees Celsius	70
1D. Changes in trichloroethene concentrations over time in passive-vapor-diffusion samples from contaminated ground-water discharge areas in South Carolina in (Site 1) Coastal Plain sediments and (Site 2) Piedmont sediments with differing sediment types and vertical hydraulic gradients.....	71

TABLES

1. Volatile organic compounds detected under field conditions with passive-vapor-diffusion samplers at contaminated ground-water-discharge areas in New England and South Carolina and the range of minimum reporting limits for these compounds at the nine New England sites	3
2. Superfund sites in New England where passive-vapor-diffusion samplers were used to detect and delineate volatile organic compounds in bottom sediment of surface-water bodies, hydrologic setting, principal compounds detected, and maximum vapor concentration measured	20
3. Number and distribution of duplicate samples from the nine study sites in New England	55
4. Relative percent differences of volatile organic compound (VOC) concentrations in duplicate samples where a VOC was detected above the reporting limit in both samples from the nine study sites in New England.....	56
1A. Average concentrations and standard deviations of volatile organic compounds in passive-vapor-diffusion samplers over time at 21 degrees Celsius under laboratory conditions in 480-milliliter test jars with spiked concentrations less than 100 micrograms per liter	66
1B. Average concentrations and standard deviation of volatile organic compounds in passive-vapor-diffusion samplers over time at 10 degrees Celsius under laboratory conditions in 1.9-liter test jars with spiked concentrations ranging from 430 to 570 micrograms per liter	66
1C. Ratio of concentrations from passive-vapor-diffusion samplers to aqueous-phase concentrations for toluene and tetrachloroethene over time at various temperatures under laboratory conditions in 1.9-liter test jars containing 210 to 310 micrograms per liter of toluene and 110 to 340 micrograms per liter of tetrachloroethene.....	67
1D. Average concentrations and standard deviations of trichloroethene over time in passive-vapor-diffusion samples in bottom sediment of streams at contaminated ground-water discharge areas in the Coastal Plain (site 1) and the Piedmont (site 2) of South Carolina, 1998.....	72
2A. Typical achievable reporting limits for volatile organic compounds commonly detected in passive-vapor-diffusion samplers from a gas chromatograph equipped with a photoionization detector and an electron capture detector	76
2B. Vapor concentrations of volatile organic compounds commonly detected with passive-vapor-diffusion samplers in the head space of a 10 micrograms per liter aqueous standard at approximately 0 to 1 degree Celsius	77
2C. Quality controls, acceptance criteria, and corrective actions	79

CONVERSION FACTORS, VERTICAL DATUM, AND ABBREVIATIONS

CONVERSION FACTORS

Multiply	By	To obtain
acre	0.4047	hectare
feet (ft)	0.3048	meters
feet per day (ft/d)	0.3048	meters per day
inches (in.)	2.54	centimeters
mil	0.0254	millimeters
square feet (ft ²)	0.0929	square meters

Temperature in degrees Celsius (°C) can be converted to degrees Fahrenheit (°F) as follows:

$$^{\circ}\text{F} = 1.8^{\circ}\text{C} + 32$$

VERTICAL DATUM

Sea Level: In this report, “sea level” refers to the National Geodetic Vertical Datum of 1929 (NGVD of 1929), a geodetic datum derived from a general adjustment of the first-order level nets of the United States and Canada, formerly called the Sea Level Datum of 1929.

ABBREVIATIONS

µg/L	micrograms per liter
mg/L	milligrams per liter
mL	milliliter
mol/m ³	moles per cubic meter
PCE	tetrachloroethene
ppb v	parts per billion by volume
PVC	polyvinylchloride
PVD sampler	passive-vapor-diffusion sampler
SVOCs	semi-volatile organic compounds
TCE	trichloroethene
VOCs	volatile organic compounds
cis-DCE	cis-1,2-dichloroethene

Concentration of chemical constituents in air are given in parts per billion by volume (ppb v).

Concentration of chemical constituents in water are given in micrograms per liter (µg/L).

